


<b>REPORT DOCUMENTATION PAGE</b>			Form Approved OMB NO. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comment regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE October 12, 2001		3. REPORT TYPE AND DATES COVERED Final 20 Jun 95-31 May 01
4. TITLE AND SUBTITLE Mobile Electric Power: High Performance PEM Fuel Cells			5. FUNDING NUMBERS DAAH04-95-1-0094	
6. AUTHOR(S) William H. Smyrl, Edward L. Cussler, David A. Shores, Kent R. Mann, Boone B. Owens, Johns S. Newman, Du Shriver				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of Minnesota University of California, Berkeley Jet Propulsion Laboratory Northwestern University			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709-2211			10. SPONSORING / MONITORING AGENCY REPORT NUMBER 33907.1-CH-MUR	
11. SUPPLEMENTARY NOTES The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation.				
12a. DISTRIBUTION / AVAILABILITY STATEMENT  Approved for public release; distribution unlimited.			12 b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words)  The report Summarizes the objectives and principal results of the research carried out over the entire term of the MURI project. It includes a list of publications and a list of scientific personnel involved.				
14. SUBJECT TERMS  fuel cells, electrodeposited catalysts, methanol crossover			15. NUMBER IF PAGES 6	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OR REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT UL	



# UNIVERSITY OF MINNESOTA

---

*Twin Cities Campus*

*Corrosion Research Center  
Department of Chemical Engineering  
and Materials Science  
Institute of Technology*

*112 Amundson Hall  
221 Church Street S.E.  
Minneapolis, MN 55455  
612-625-4048  
Fax: 612-626-7246*

October 12, 2001

Bessie B. Oakley  
Chief, Information Control & Analysis  
Department of the Army  
Army Research Office  
4300 S. Miami Blvd  
Research Triangle Park, NC 27709-2211

Dear Ms. Oakley:

Enclosed please the original and two copies of the Final Progress Report for 2001 from our research group. Please reference the information below:

ARO Proposal Number: 33907-CH-MUR


Contract or Grant Number: DAAHO4-95-1-0094

Title of Proposal: Mobile Electric Power: High Performance PEM Fuel Cells

Name of Institution: University of Minnesota


If we should send more, please advise me. You may reach me by phone, fax, or e-mail as per below.

Sincerely,



William H. Smyrl  
Professor  
Ph: 612-625-0717  
fax: 612-625-7246  
e-mail: smyrl001@maroon.tc.umn.edu

WHS:jlj



**MASTER COPY:** PLEASE KEEP THIS "MEMORANDUM OF TRANSMITTAL" BLANK FOR REPRODUCTION PURPOSES. WHEN REPORTS ARE GENERATED UNDER THE ARO SPONSORSHIP, FORWARD A COMPLETED COPY OF THIS FORM WITH EACH REPORT SHIPMENT TO THE ARO. THIS WILL ASSURE PROPER IDENTIFICATION. NOT TO BE USED FOR INTERIM PROGRESS REPORTS; SEE PAGE 1 FOR INTERIM PROGRESS REPORT INSTRUCTIONS.

**MEMORANDUM OF TRANSMITTAL**

U.S. Army Research Office  
ATTN: AMXRO-ICA-L (Hall)  
P.O. Box 12211  
Research Triangle Park, NC 27709-2211

☐ Reprint (Orig + 2 copies)      ☐ Technical Report (Orig + 2 copies)  
☐ Manuscript (1 copy)      ☒ Final Progress Report (Orig + 2 copies)  
☐ Related Material (1 copy)

CONTRACT/GRANT NUMBER: DAAH04-95-1-0094

TITLE: Mobile Electric Power: High Performance PEM Fuel Cells

is forwarded for your information.

SUBMITTED FOR PUBLICATION TO (applicable only if report is manuscript):

Sincerely,

William H. Smyrl  
Corrosion Research Center  
University of Minnesota,  
Minneapolis  
Minneapolis, MN 55455

33907CH-MUR

Enclosure 4

REPORT DOCUMENTATION PAGE (SF298)  
(Continuation Sheet)

Mobile Electric Power: High Performance PEM Fuel Cells

FINAL PROGRESS REPORT

Professor William H. Smyrl  
Professor Edward L. Cussler  
Professor David A. Shores  
Professor Kent R. Mann  
Adjunct Professor Boone B. Owens  
Professor John S. Newman  
Professor Du Shriver

October 12, 2001

Contract/Grant Number: DAAHO4-95-1-0094

University of Minnesota

APPROVED FOR PUBLIC RELEASE;  
DISTRIBUTION UNLIMITED

THE VIEWS, OPINIONS, AND/OR FINDINGS COTAINED IN THIS REPORT ARE THOSE OF THE  
AUTHOR(S) AND SHOULD NOT BE CONSTRUED AS AN OFFICIAL DEPARTMENT OF THE ARMY  
POSITION, POLICY, OR DECISION, UNLESS SO DESIGNATED BY OTHER DOCUMENTATION.

**REPORT DOCUMENTATION PAGE (SF298)**  
**(Continuation Sheet)**

**I. Program Objectives**

- Identify and characterize new polymer membrane materials with reduced methanol permeation (Objective 1).
- Identify and characterize novel electrode structures incorporating new porous carbon materials and alternative catalysts (Objective 2).
- Establish an exploratory fuel cell testing facility to evaluate novel components in a complete PEMFC environment (Objective 3).

**II. Summary of the Most Important Results**

MURI accomplishments

- Objective 1:
- (A) A basis has been developed for evaluation and screening of commercial and new polymer membrane electrolytes. The proton conductivity and inverse methanol permeability are the two characteristics that determine the selectivity basis.
  - (B) A new composite polymer membrane has been discovered for direct methanol fuel cells. The better membrane is a composite of polyvinylalcohol and mordenite, a natural zeolite. It is 20 times more selective for protons vs methanol than Nafion - the current industry standard.
  - (C) Modified polyphosphazenes are a new class of rigid polymer electrolyte that have been synthesized for enhanced conductivity with low rates of methanol transport.
- Objective 2:
- (A) Very low catalyst (Pt-Ru) loading levels of  $0.03 \text{ mg/cm}^2$  have shown good performance for methanol oxidation.
  - (B) Reactive sputtering of Pt-Ru in oxygen atmospheres has been shown to eliminate conditioning time, and there is no need for ionomer in the catalyst layer.
  - (C) Miniature fuel cells have been fabricated for methanol/air and for hydrogen/air utilizing techniques adapted from microelectronic and MEMS micromachining procedures. The cells approach the performance of large state-of-the-art cells when scaled for size. The cells are made with high reproducibility and highly precise features. The volume of an individual cell is  $12 \text{ mm}^3$ .

III. Electrodeposited Pt-Ru catalysts with loadings of  $0.25 \text{ mg/cm}^2$  perform well in both miniature cells and in large cells. Comparison with state-of-the-art cells is shown in Figure 1.

IV. Developed model to simulate:

- (1) the consumption of methanol in a  $\text{MeOH/O}_2$  cell, and
- (2) the rate of crossover in a  $\text{MeOH/O}_2$  cell. The model treated the influence of methanol kinetics on the cell near limiting current, and the influence of incomplete methanol conversion at the cathode at higher feed concentrations.
- (F) Determined that the crossover of methanol can be modified using different electrode structures

REPORT DOCUMENTATION PAGE (SF298)  
(Continuation Sheet)

Objective 3: (A) A fuel cell testing laboratory has been set up and several hundred cells have been tested. Both direct methanol and hydrogen fuel cells have been fabricated and tested. The facilities have been used to evaluate several combinations of anode alloy catalysts and carbon support materials in 25 cm<sup>2</sup> cells with Nafion membranes.

V. The effect of contaminant cations on Nafion conductivity has been measured for several (approx. 20) cations. Corrosion of stainless steel hardware in a fuel cell can contribute to loss of fuel cell performance by contaminating the Nafion membrane.




Figure 1. Comparison of Miniature and Large Polymer Electrolyte Cells with State-of-the-Art Cells. Catalyst Loading of the Miniature and Large Cells were 0.25 mg/cm<sup>2</sup> of Electrodeposited Pt-Ru on the Anode.

### III. List of all Publications and Technical Reports

J. Meyers, R.D. Villwock, R.M. Darling, J.S. Newman, "Multicomponent Diffusion in a Gas-Diffusion Electrode with a Ribbed Flow Field Using the Quasipotential Transformation," in Advances in Mathematical Modeling and Simulation of Electrochemical Processes, Electrochemical Society PV 98-10 (1998).

B.S. Pivovar, Y. Wang, E.L. Cussler, "Pervaporation Membranes in Direct Methanol Fuel Cells," J. Membr. Sci. **154**, 155 (1999).

**REPORT DOCUMENTATION PAGE (SF298)**  
**(Continuation Sheet)**

S.C. Kelley, G.A. Deluga, and W.H. Smyrl, "A Miniature Methanol/Air Polymer Electrolyte Fuel Cell", Electrochemical and Solid-State Letters **3** (2000) 407-409.

C. Witham, S.R. Narayana, T. Valdez, and W. Chun, "Sputter Deposited Anodes for Direct Methanol Fuel Cells," Electrochem. Sol. State Lett. **3**, 497 (2000)

B. Libby, W.H. Smyrl, and E.L. Cussler, "Composite Membranes for Direct Methanol Fuel Cells," Electrochem. Sol. State Lett. **4**, A197 (2001).

S.C. Kelley, G.A. Deluga, and W.H. Smyrl, "Miniature Fuel Cells Fabricated on Silicon Substrates," AICHE J. (accepted for publication, October 2001).

S. Cheng and K.R. Mann, "The Electrocatalytic Oxidation of Methanol with Platinum Particles Preferentially Oriented on Highly Oriented Pyrolytic Graphite", (submitted to Electrochimica Acta, October 2001).

S.C. Kelley and W.H. Smyrl, "Electrodeposition of Pt-Ru Catalysts at Low-Loading," (manuscript in preparation).

**IV. List of Inventions, Patents**

None

**V. List of all Participating Scientific Personnel**

Faculty who were involved in the MURI research:

Professor William H. Smyrl	(University of Minnesota)
Professor Edward L. Cussler	(University of Minnesota)
Professor David A. Shores	(University of Minnesota)
Professor Kent R. Mann	(University of Minnesota)
Adjunct Professor Boone B. Owens	(University of Minnesota)
Professor John S. Newman	(University of California-Berkeley)
Professor Du Shriver	(Northwestern University)

Graduate Students Receiving Advanced Degrees:

Masters:

Craig Michael Gates, 1997 (University of California, Berkeley, Chemical Engineering)

Ph.D.:

Stephen Chi Kwong Cheng, 1998 (University of Minnesota, Chemistry)  
Jeremy Patrick Meyers, 1998 (University of California, Berkeley)  
Bryan Scott Pivovar, 2000, (University of Minnesota, Chemical Engineering)  
Shawn Christopher Kelley, 2000, (University of Minnesota, Chemical Engineering)  
Hwang Chan Yoo, 2001, (University of Minnesota, Materials Science)  
Brett Libby, 2001, (University of Minnesota, Chemical Engineering)

Ph.D. Students Who Have Not Completed Their Theses:

Daron Janzen (University of Minnesota)  
Trevor Kutson (University of Minnesota)